

2007 Alabama Cotton Trial PRELIMINARY Yields

Fairhope, AL

Dryland EARLY season RR FLEX trial

Test	Variety	Av yield	Av lint %
GC_FLXE	PhytoGen PHX 3702	1297	0.44
GC_FLXE	PHY 375 WRF	1296	0.41
GC_FLXE	Deltapine DP 444BG/RR	1270	0.40
GC_FLXE	PhytoGen PHX 3709	1241	0.41
GC_FLXE	DP 121 RF	1224	0.43
GC_FLXE	Deltapine DP 555 BG/RR	1195	0.44
GC_FLXE	PhytoGen PHX 3701	1188	0.41
GC_FLXE	Americot AM 1532 B2RF	1182	0.38
GC_FLXE	PHY 485 WRF	1179	0.39
GC_FLXE	ST 4357B2RF	1177	0.38
GC_FLXE	PhytoGen PHX 4762	1174	0.40
GC_FLXE	PhytoGen PHX 3703	1149	0.42
GC_FLXE	PHY 315 RF	1140	0.42
GC_FLXE	ST 5283RF	1130	0.41
GC_FLXE	CG 3520 B2RF	1118	0.37
GC_FLXE	Dyna Gro 2490 B2RF	1115	0.38
GC_FLXE	ST 5327B2RF	1110	0.41
GC_FLXE	ST 4427B2RF	1110	0.39
GC_FLXE	Deltapine DP 161 B2RF	1096	0.39
GC_FLXE	PHY 425 RF	1091	0.38
GC_FLXE	PhytoGen PHX 4727	1087	0.40
GC_FLXE	Stoneville ST 5599BR	1079	0.41
GC_FLXE	DP 143 B2RF	1078	0.40
GC_FLXE	DP 147 RF	1075	0.41
GC_FLXE	Dyna Gro CT 07550	1053	0.40
GC_FLXE	CG 4020 B2RF	1052	0.38
GC_FLXE	Deltapine DP 174 RF	1052	0.46
GC_FLXE	Americot AM 1622 B2RF	1032	0.37
GC_FLXE	Fiber Max FMX 4330B2F	1007	0.43
GC_FLXE	ST 4664RF	1001	0.40
GC_FLXE	Americot AM 1504 B2RF	1000	0.40
GC_FLXE	Stoneville STX 4498 B2RF	996	0.39
GC_FLXE	ST 4554B2RF	993	0.39
GC_FLXE	Croplan Genetics CG 3035 B2RF	983	0.41
GC_FLXE	Dyna Gro 2520 B2RF	979	0.39
GC_FLXE	Fiber Max FM 9068 F	978	0.39
GC_FLXE	Stoneville STX 4678 B2RF	977	0.39
GC_FLXE	CG 3020 B2RF	944	0.37
GC_FLXE	Stoneville STX 4596 B2RF	936	0.38
GC_FLXE	Fiber Max FM 1740B2F	935	0.41
GC_FLXE	Fiber Max FM 9060 F	929	0.39
GC_FLXE	Deltapine DP 141 B2RF	914	0.39
GC_FLXE	Fiber Max FM 960BR	886	0.39
GC_FLXE	Croplan Genetics CG 3220 B2RF	871	0.38
GC_FLXE	DP 117 B2RF	861	0.39
GC_FLXE	Fiber Max FM 9063 B2F	860	0.38
	Test average	1066	0.40

Note: All information is preliminary data only and not for public distribution.

2007 Alabama Cotton Trial PRELIMINARY Yields
Fairhope, AL
Dryalnd FULL season RR FLEX trial

Test	Variety	Av yield	Av lint %
GC_FLXF	Deltapine DP 444BG/RR	1097	0.40
GC_FLXF	DP 167 RF	1089	0.42
GC_FLXF	Deltapine DP 555 BG/RR	1023	0.44
GC_FLXF	Stoneville ST 5599BR	1019	0.40
GC_FLXF	DP 164 B2RF	988	0.40
GC_FLXF	DP 147 RF	962	0.42
GC_FLXF	DP 143 B2RF	957	0.40
GC_FLXF	Americot XAM 1550 B2RF	916	0.41
GC_FLXF	Stoneville STX 5458 B2RF	890	0.40
GC_FLXF	ST 6611B2RF	868	0.38
GC_FLXF	Stoneville STX 6351 B2RF	862	0.38
GC_FLXF	Fiber Max FM 960BR	848	0.39
GC_FLXF	Deltapine DP 161 B2RF	838	0.37
GC_FLXF	Fiber Max FM 1880 B2F	834	0.37
GC_FLXF	Deltapine DP 141 B2RF	827	0.41
GC_FLXF	Deltapine DP 174 RF	803	0.45
GC_FLXF	PHY 745 WRF	717	0.40
GC_FLXF	Fiber Max FMX 4327B2F	659	0.40
GC_FLXF	Fiber Max FM 1840B2F	631	0.41
	Test average	886	0.40

Note: All information is preliminary data only and not for public distribution.